Contents of Volume 48

Vol. 48, Nos. 1-2 January (I, II) 2002

Preface 1–2

Acknowledgement 3

Through a genome, darkly: comparative analysis of plant chromosomal DNA
G.J. King 5–20

Plant genome evolution: lessons from comparative genomics at the DNA level
R. Schmidt 21–37

Computational gene finding in plants
M. Pertea, S.L. Salzberg 39–48

Computational modeling of gene structure in *Arabidopsis thaliana*
V. Brendel, W. Zhu 49–58

Surviving in a sea of data: survey of plant genome data resources and issues in building data management systems
L. Reiser, L.A. Mueller, S.Y. Rhee 59–74

Comprehensive gene expression analysis by transcript profiling
J. Donson, Y. Fang, G. Espiritu-Santo, W. Xing, A. Salazar, S. Miyamoto, V. Armendarez, W. Volkmuth 75–97

DNA microarrays for functional plant genomics
A. Aharoni, O. Vorst 99–118

Microarray data quality analysis: lessons from the AFGC project
D. Finkelstein, R. Ewing, J. Gollub, F. Sterky, J.M. Cherry, S. Somerville 119–131

Large-scale plant proteomics
B. Kersten, L. Bürkle, E.J. Kuhn, P. Giavalisco, Z. Konthur, A. Lueking, G. Walter, H. Eickhoff, U. Schneider 133–141

Proteomics and a future generation of plant molecular biologists
J.K.M. Roberts 143–154

Metabolomics – the link between genotypes and phenotypes
O. Fiehn 155–171

Gene replacement by homologous recombination in plants
H. Puchta 173–182

Recombinase-directed plant transformation for the post-genomic era
D.W. Ow 183–200

Vol. 48, No. 3 February, 2002

The subcellular localization of an unusual rice calmodulin isoform, OsCaM61, depends on its prenylation status
A. Dong, H. Xin, Y. Yu, C. Sun, K. Cao, W.-H. Shen 203–210

NADP-malate dehydrogenase from *Chlamydomonas*: prediction of new structural determinants for redox regulation by homology modelling
I. Gómez, F. Merchán, E. Fernández, A. Quesada **211–221**

Wound-response regulation of the sweet potato *sporamin* gene promoter region
S.-J. Wang, Y.-C. Lan, S.-F. Chen, Y.-M. Chen, K.-W. Yeh **223–231**

Conservation in divergent solanaceous species of the unique gene structure and enzyme activity of a gametophytically-expressed flavonol 3-*O*-galactosyltransferase
K.D. Miller, J. Strommer, L.P. Taylor **233–242**

Induction of pepper cDNA encoding a lipid transfer protein during the resistance response to tobacco mosaic virus
C.-J. Park, R. Shin, J.M. Park, G.-J. Lee, J.-S. You, K.-H. Paek **243–254**

Cloning and characterization of a cDNA encoding a cobalamin-independent methionine synthase from potato (*Solanum tuberosum* L.)
M. Zeh, G. Leggewie, R. Hoefgen, H. Hesse **255–265**

Infection of *Arabidopsis* with a necrotrophic pathogen, *Botrytis cinerea*, elicits various defense responses but does not induce systemic acquired resistance (SAR)
E.M. Govrin, A. Levine **267–276**

cDNA cloning and expression of carotenogenic genes during flower development in *Gentiana lutea*
C. Zhu, S. Yamamura, H. Koiwa, M. Nishihara, G. Sandmann **277–285**

Identification of *Mutator* insertional mutants of starch-branching enzyme 1 (*sbe1*) in *Zea mays* L.
S.L. Blauth, K.-N. Kim, J. Klucinec, J.C. Shannon, D. Thompson, M. Guiltinan **287–297**

Molecular cloning, expression and characterization of tropinone reductase II, an enzyme of the SDR family in *Solanum tuberosum* (L.)
R. Keiner, H. Kaiser, K. Nakajima, T. Hashimoto, B. Dräger **299–308**

Inhibitory effect of *myb7* uORF on downstream gene expression in homologous (rice) and heterologous (tobacco) systems
F. Locatelli, E. Magnani, C. Vighi, C. Lanzanova, I. Coraggio **309–318**

Three classes of proteinase inhibitor gene have distinct but overlapping patterns of expression in *Pisum sativum* plants
C. Domoney, T. Welham, N. Ellis, P. Mozzanega, L. Turner **319–329**

Vol. 48, No. 4 March (I) 2002

Mini review

Telomeres, telomerase, and stability of the plant genome
T.D. McKnight, K. Riha, D.E. Shippen **331–337**

Research articles

Cloning and characterization of a thermal hysteresis (antifreeze) protein with DNA-binding activity from winter bittersweet nightshade, *Solanum dulcamara*
T. Huang, J.G. Duman **339–350**

Expression of the ACC synthase and ACC oxidase coding genes after self-pollination and incongruous pollination of tobacco pistils
A.M. Sanchez, C. Mariani **351–359**

Molecular and biochemical characterization of an *Arabidopsis thaliana* arogenate dehydrogenase with two highly similar and active protein domains
P. Rippert, M. Matringe **361–368**

Deletion of the C-terminal 138 amino acids of the wheat FKBP73 abrogates calmodulin binding, dimerization and male fertility in transgenic rice
I. Kurek, R. Dulberger, A. Azem, B.B. Tzvi, D. Sudhakar, P. Christou, A. Breiman **369–381**

Analysis of hypermethylation in the RPS element suggests a signal function for short inverted repeats in *de novo* methylation
A. Müller, M. Marins, Y. Kamisugi, P. Meyer **383–399**

Two flavonoid glucosyltransferases from *Petunia hybrida*: molecular cloning, biochemical properties and developmentally regulated expression
M. Yamazaki, E. Yamagishi, Z. Gong, M. Fukuchi-Mizutani, Y. Fukui, Y. Tanaka, T. Kusumi, M. Yamaguchi, K. Saito **401–411**

Molecular characterization of nucleus-localized RNA-binding proteins from higher plants
M. Landsberger, Z.J. Lorković, R. Oelmüller **413–421**

Developmental retgulation and downstream effects of the *knox* class homeobox genes *Oskn2* and *Oskn3* from rice
A.D. Postma-Haarsma, S. Rueb, E. Scarpella, W. den Besten, J.H.C. Hoge, A.H. Meijer **423–441**

Vol. 48, No. 5-6 March–April 2002

Foreword **443–444**

Overview

Cereal genomics: ushering in a brave new world
R. Tuberosa, B.S. Gill, S.A. Quarrie **445–449**

Section 1 – Mapping techniques and tools

Expanding the genetic map of maize with the intermated B73 × Mo17 (*IBM*) *population*
M. Lee, N. Sharopova, W.D. Beavis, D. Grant, M. Katt, D. Blair, A. Hallauer **453–461**

Development and mapping of SSR markers for maize
N. Sharopova, M.D. McMullen, L. Schultz, S. Schroeder, H. Sanchez-Villeda, J. Gardiner, D. Bergstrom, K. Houchins, S. Melia-Hancock, T. Musket, N. Duru, M. Polacco, K. Edwards, T. Ruff, J.C. Register, C. Brouwer, R. Thompson, R. Velasco, E. Chin, M. Lee, W. Woodman-Clikeman, M.J. Long, E. Liscum, K. Cone, G. Davis, E.H. Coe, Jr. **463–481**

A high-density genetic map of *Sorghum bicolor* (L.) Moench based on 2926 AFLP®, RFLP and SSR markers
M.A. Menz, R.R. Klein, J.E. Mullet, J.A. Obert, N.C. Unruh, P.E. Klein **483–499**

Data mining for simple sequence repeats in expressed sequence tags from barley, maize, rice, sorghum and wheat
R.V. Kantety, M. La Rota, D.E. Matthews, M.E. Sorrells **501–510**

Analysis of simple sequence repeats (SSRs) in wild barley from the Fertile Crescent: associations with ecology, geography and flowering time
V. Ivandic, C.A. Hackett, E. Nevo, R. Keith, W.T.B. Thomas, B.P. Forster **511–527**

Discovery and assay of single-nucleotide polymorphisms in barley (*Hordeum vulgare*)
V. Kanazin, H. Talbert, D. See, P. DeCamp, E. Nevo, T. Blake **529–537**

Insertion-deletion polymorphisms in 3′ regions of maize genes occur frequently and can be used as highly informative genetic markers
D. Bhattramakki, M. Dolan, M. Hanafey, R. Wineland, D. Vaske, J.C. Register III, S.V. Tingey, A. Rafalski **539–547**

Section 2 – Functional genomics

Monitoring large-scale changes in transcript abundance in drought- and salt-stressed barley
Z.N. Ozturk, V. Talamé, M. Deyholos, C.B. Michalowski, D.W. Galbraith, N. Gozukirmizi, R. Tuberosa, H.J. Bohnert **551–573**

QTL analysis of proteone and transcriptome variations for dissecting the genetic architecture of complex traits in maize
L. Consoli, A. LefŁvre, M. Zivy, D. de Vienne, C. Damerval **575–581**

Section 3 – QTLs and genes

Statistical methods for QTL mapping in cereals
C.A. Hackett **585–599**

Toward positional cloning of *Vgt1*, a QTL controlling the transition from the vegetative to the reproductive phase in maize
S. Salvi, R. Tuberosa, E. Chiapparino, M. Maccaferri, S. Veillet, L. van Beuningen, P. Isaac, K. Edwards, R.L. Phillips **601–613**

Detection of grain protein content QTLs across environments in tetraploid wheats
A. Blanco, A. Pasqualone, A. Troccoli, N. Di Fonzo, R. Simeone **615–623**

Genetic dissection of a major *Fusarium* head blight QTL in tetraploid wheat
C.D. Otto, S.F. Kianian, E.M. Elias, R.W. Stack, L.R. Joppa **625–632**

Puroindolines: the molecular genetic basis of wheat grain hardness
C.F. Morris **633–647**

Chromosome regions and stress-related sequences involved in resistance to abiotic stress in *Triticeae*
L. Cattivelli, P. Baldi, C. Crosatti, N. Di Fonzo, P. Faccioli, M. Grossi, A.M. Mastrangelo, N. Pecchioni, A.M. Stanca **649–665**

Molecular genetics of heat tolerance and heat shock proteins in cereals
E. Maestri, N. Klueva, C. Perrotta, M. Gulli, H.T. Nguyen, N. Marmiroli **667–681**

Mapping QTLs associated with drought avoidance in upland rice grown in the Philippines and West Africa
A.H. Price, J. Townend, M.P. Jones, A. Audebert, B. Courtois **683–695**

Identification of QTLs for root characteristics in maize grown in hydroponics and analysis of their overlap with QTLs for grain yield in the field at two water regimes
R. Tuberosa, M.C. Sanguineti, P. Landi, M.M. Giuliani, S. Salvi, S. Conti **697–712**

Mapping QTLs associated with drought resistance in sorghum (*Sorghum bicolor* L. Moench)
A.C. Sanchez, P.K. Subudhi, D.T. Rosenow, H.T. Nguyen **713–726**

Section 4 – Comparative genetics

Trends in comparative genetics and their potential impacts on wheat and barley research
D.A. Laurie, K.M. Devos **729–740**

Comparative genomic mapping between a 754 kb region flanking *DREB1A* in *Arabidopsis thaliana* and maize
M.L. van Buuren, S. Salvi, M. Morgante, B. Serhani, R. Tuberosa **741–750**

Characterization of the aldehyde dehydrogenase gene families of *Zea mays* and *Arabidopsis*
D.S. Skibbe, F. Liu, T.-J. Wen, M.D. Yandeau, X. Cui, J. Cao, C.R. Simmons, P.S. Schnable **751–764**

Section 5 – Genome structure and evolution

A high-density cytogenetic map of the *Aegilops tauschii* genome incorporating retrotransposons and defense-related genes: insights into cereal chromosome structure and function
E. Boyko, R. Kalendar, V. Korzun, J. Fellers, A. Korol, A.H. Schulman, B.S. Gill **767–790**

Structural and functional organization of the '1S0.8 gene-rich region' in the *Triticeae*
D. Sandhu, K.S. Gill **791–804**

Phylogenetic analysis of the acetyl-CoA carboxylase and 3-phosphoglycerate kinase loci in wheat and other grasses
S. Huang, A. Sirikhachornkit, J.D. Faris, X. Su, B.S. Gill, R. Haselkorn, P. Gornicki **805–820**

Numerous small rearrangements of gene content, order and orientation differentiate grass genomes
J.L. Bennetzen, W. Ramakrishna **821–827**

Instructions for authors **829–832**

Volume contents **833–837**

Author index **839–840**